Hakalau Homesteads South Hill, Hawaii

Corrected copy furnished Land Office -- May 24, 1916

Cor. 6743 S. Tanimoto

File in Carton 104.

Territory of Hawaii,

Office of the Covernment Survey.

Honolulu, T. H., May 23, 1916.

Revised Description.

Lot 35.

Hakalau Homesteads, South Hile, Hawaii.

Beginning at an iron rail at the North corner of this lot, the East corner of Lot 30 and on the West side of 40 foot road, the coordinates of said point of beginning referred to Government Survey Trig. Station "Kauku" being 16471.5 feet North and 4915.6 feet East, as shown on Government Survey Registered Map No. 2574, and running by true azimuths:-

- 1. 339° 53' 598.0 feet along 40 foot road to an iron rail;
- 2. 57° 10' 225.0 feet along 40 foot road to an iron rail;
- 3. 65° 00' 256.0 feet along 40 foot road to an iron rail;
- 4. 349° 40° 35.0 feet along 40 foot road to an iron rail near a bridge and 10 feet from the edge of the Kaahakini Stream;
- 5. Along a line parallel to and 10 feet from the edge of the Kashakini Stream, the direct azimuth and distance being: 73° 32° 473.5 feet to an iron rail;
- 6. 148° 00° 463.0 feet along Lot 32 to an iron rail;
- 7. 238° 00'1071.5 feet along Lots 31 and 30 to the point of beginning. Area 12-88/100 Acres.

Excepting and Reserving therefrom the cemetery lot and 8 foot roadway thereto, (area 28/100 acre), described as follows:-

Beginning at a pipe on the West side of 40 foot road and at the Southeast corner of right-of-way to cemetery, the true azimuth

960.45 960.38 1120.63 1120.49 ASC 5/23/16.

**

5/23/16

and distance from an iron rail at the North corner of Lot 35 being 339° 318.0 feet, and running by true azimuths:-

397.0 feet; 84.4 feet; 680 221 2. 69° 53¹
3. 159° 53¹
4. 249° 53¹
5. 339° 53¹
6. 248° 22¹ 103.0 feet;
84.4 feet;
95.0 feet;
397.0 feet;
8.0 feet to point of beginning. 7. 339° 531

LEAVING A NET AREA OF 12-60/100 ACRES.

H.E. Kewton Assistant Government Surveyor.